

CERTIFICATE

of constancy of performance

1922 - CPR - 1174

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Resilient, textile and laminate floor coverings. Laminate floor coverings for interior use, thickness: from 7 mm to 12 mm

Trade mark FLOORPAN

(with the performance listed, see Annexes I to 1922-CPR-1174 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

**Limited Liability Company «KASTAMONU INTEGRATED WOOD INDUSTRY»
423600, Russian Federation, Tatarstan, Yelabuga, SEZ «Alabuga»
territory, SH-3 Street, building 3/3**

and produced in the manufacturing plant of

**Limited Liability Company «KASTAMONU INTEGRATED WOOD INDUSTRY»
423600, Russian Federation, Tatarstan, Yelabuga, SEZ «Alabuga»
territory, SH-3 Street, building 3/3**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14041:2004; EN 14041:2004/AC:2006

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 26.06.2019 and will remain valid until 26.06.2023 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Attestation &
Certification

Manager: *Anna Vasileva*



dipl. eng. Anna Vasileva

Issued:
Burgas, 10 June 2022

Ref. No. 02-00

**ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE
1922 - CPR - 1174/10.06.2022****Performance list, acc. to EN 14041:2004; EN 14041:2004/AC:2006**

No.	Characteristics	Clause of the standard	Method	Result
1	Reaction to fire	EN 14041/ 4.1	EN 13501-1	B _{fl} s1
2	Content of pentachlorophenol	EN 14041/ 4.2	CEN/TR 14823	≤ 5 ppm
3	Emission of formaldehyde	EN 14041/ 4.3	EN 717-1	E 1
4	Water-tightness	EN 14041/ 4.4	EN 13553	N/A
5	Slipperiness	EN 14041/ 4.5.1	EN 13893	DS
6	Electric behaviour	EN 14041/ 4.6	EN 1815 ISO 6356	NPD
7	Thermal conductivity	EN 14041/ 4.7	EN ISO 10456	0.18 W/mK

This certificate was first issued on 26.06.2019 and will remain valid until 26.06.2023 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.

**Manager:**

dipl. eng. Anna Vasileva

Issued:
Burgas, 10 June 2022

Ref. No. 02-00